

Certificate of Approval

This certificate confirms that the company below complies with the following standard(s):

Company Name	Zhejiang Ruihua Machinery Co., Ltd	Client ID	102557
Company Other Name		Type of Certification	Product Certification; System 5
Certification Standard	AS/NZS 1221-1997 : Fire hose reels including Amendment 1		
Scheme	Global-Mark Product Conformance Scheme		
Certification Review Date	10/09/2019	Certification Expiry Date	10/09/2024
Certificate Issue Date	9/05/2015	Certificate Last Update Date	24/09/2019

APPROVED COMPANY/SITE ADDRESS(ES):

Western Industrial Zone, Lingshan Town Yuyao Zhejiang 315460 China

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Approval remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Unique Certificate Code: 4DC04E04902C0A35CA2584730031D54A

Global-Mark Pty Ltd, 407, 32 Delhi Road, North Ryde NSW 2113, Australia - Copyright 2005



Global-Mark.com.au®




Model(s) on which the Global-Mark logo may be applied by the certificate holder as a declaration of compliance by the certificate holder:

In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. In issuing this Certificate of Approval Global-Mark has relied on the expertise of external bodies (laboratories, and technical experts).

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Approved
HP3613-432	HP3613-432	Presto	Length (mm): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	8/05/2018
HP3613-432	HP3613-432	FireWorld	Length (mm): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	8/05/2018
HP3613-432	HP3613-432	No Name	Length (mm): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	8/05/2018
HP3613-432	HP3613-432	Isupply	Length (mm): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	8/05/2018
MHS3619-480	MHS3619-480	Isupply	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	8/05/2018
MHS3619-480	MHS3619-480	Presto	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	8/05/2018
MHS3619-480	MHS3619-480	FireWorld	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	8/05/2018
MHS3619-480	MHS3619-480	No Name	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Swing Arm, 480mm dia.	8/05/2018
RH301913	RH301913	Presto	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 600mm dia.	10/09/2014
RH301913	RH301913	Isupply	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 600mm dia.	1/03/2016
RH301913	RH301913	No Name	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 600mm dia.	10/09/2014
RH301913	RH301913	FireWorld	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 600mm dia.	10/09/2014
RH301914	RH301914	FireWorld	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia.	10/09/2014
RH301914	RH301914	Isupply	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia.	1/03/2016
RH301914	RH301914	No Name	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia.	10/09/2014
RH301914	RH301914	Presto	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 480mm dia.	10/09/2014



Certification Manager





global-mark®

Model Identification	Model Name	Brand Name	Product Description/Attributes	Date Approved
RH301917	RH301917	Isupply	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia.	1/03/2016
RH301917	RH301917	FireWorld	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia.	10/01/2016
RH301917	RH301917	Presto	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia.	10/01/2016
RH301917	RH301917	No Name	Length (mm): 36; Hose Diameter (mm): 19; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 540mm dia.	10/01/2016
RH301920	RH301920	No Name	Length (mm): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	12/03/2017
RH301920	RH301920	Isupply	Length (mm): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	12/03/2017
RH301920	RH301920	FireWorld	Length (mm): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	12/03/2017
RH301920	RH301920	Presto	Length (mm): 36; Hose Diameter (mm): 13; Nozzle Type: Metal Twist Off/Jet/Spray ; Reel Type; Fixed, 432mm dia.	12/03/2017

Comments:

End of the document



Certification Manager